

Index

- $\widehat{\mathcal{A}}$ -class, 430
- $\widehat{A}$ -genus
 - higher, 430
- A -regular, 499
- A -theoretic Swan ring, 606
- A -theory
 - (non-connective) A -theory spectrum, 168
 - connective A -theory, 168
- absolute
 - neighborhood retract, 264
 - retract, 604
- abstract
 - simplicial $(G, \mathcal{F})$ -complex, 579
 - simplicial complex, 579
 - simplicial G -complex, 579
- action
 - amenable group action, 491
 - finitely $\mathcal{F}$ -amenable group action, 603
 - homotopy action of a finitely presented group on a space, 598
 - homotopy action of a group on a $\mathbb{Z}$ -chain complex, 690
 - homotopy action of a group on a space, 598
 - homotopy coherent G -action of a group on a space, 600
 - homotopy S -action on a space, 678
 - N - $\mathcal{F}$ -amenable group action, 603
 - strong homotopy action of a group on a space, 600
 - topologically amenable group action, 491
- acyclic
 - U -acyclic, 88
 - map, 138
 - space, 137
- additive ∞ -category, 186
- additive category, 146
 - additive G -category, 381
 - additive G -category with involution, 383
 - idempotent complete, 148
 - idempotent completion of an additive category, 148
- AF-algebra, 293
- Alexander trick, 87
- algebra
 - Roe algebra, 423
- algebraic number field, 35
- almost connected, 320
- almost equivariant
 - (ϵ, S) -almost G -equivariant, 591
 - $(\epsilon, \langle S \mid R \rangle)$ -almost G -equivariant, 599
- almost transfer $\mathcal{F}$ -reducible group, 610
- α -close maps, 575
- α -domination, 575
- α -homotopic maps, 575
- α -homotopy equivalence, 575
- α -homotopy inverse, 575
- amenable group action, 491
- anima, 176
- annihilator of a sublagrangian, 212
- Arf invariant, 213
- Artinian
 - module, 52
 - ring, 52
- aspherical, 257
- assembly
 - analytic Baum-Connes assembly map, 416
 - assembly map for algebraic K -theory, 403
 - assembly map for algebraic K -theory with coefficients in additive categories, 382
 - assembly map for algebraic K -theory with coefficients in higher categories, 385
 - assembly map for algebraic K -theory with coefficients in rings, 378
 - assembly map for algebraic L -theory, 404

- assembly map for algebraic L -theory for rings with involution, 379
- assembly map for algebraic L -theory with coefficients in rings with involution, 379
- assembly map for algebraic L -theory with coefficients in additive categories with involution, 384
- assembly map for G -homology theories, 436
- assembly principle, 561
- homotopy theoretic assembly transformation, 566
- asymptotic dimension, 492
 - equivariant, 609
- automorphism
 - ϵ -controlled automorphism of a geometric module, 578
- balanced product
 - balanced smash product of pointed C -spaces, 349
 - of C -spaces, 349
 - of a pointed C -space with a C -spectrum, 349
- ball
 - closed ball around x of radius δ , 682
 - open ball around x of radius δ , 682
- Banach algebra, 286
 - Banach $*$ -algebra, 286
 - unital, 287
- barycentric subdivision, 579
- basis
 - cellular, 78
 - stable basis, 237
 - stably U -equivalent, 237
 - U -equivalent, 237
- bordism
 - normal, 222
- Bott isomorphism, 37
- Bott manifold, 429
- Bott periodicity, 277
- boundary
 - boundary amenable group, 492
 - of a non-singular ϵ -quadratic form, 232
- bounded
 - cobordism, 124
 - control over $\mathbb{N}$, 615
 - geometry, 423
 - h -cobordism, 124
 - map, 124
 - metric space, 727
- Bredon homology, 340
- Burnside ring, 362
- C^* -algebra, 286
 - AF-algebra, 293
 - contractible, 293
 - Cuntz C^* -algebra, 293
 - exact, 492
 - Kirchberg C^* -algebra, 293
 - maximal group C^* -algebra, 288
 - nuclear, 288
 - proper, 743
 - reduced group C^* -algebra, 287
 - separable, 289
 - stable, 289
 - unital, 287
- C^* -identity, 286
- Calkin algebra, 287
- CAT(0)-group, 498
 - finite-dimensional CAT(0)-group, 498
- category
 - additive, 146
 - additive ∞ -category, 186
 - admitting factorizations, 185
 - category of cofibrations, 165
 - category of weak equivalences, 165
 - category with G -support, 613
 - category with cofibrations and weak equivalences, 165
 - category with the two-out-of-six property, 185
 - exact, 146
 - filtered, 65
 - flasque additive category, 147
 - full stable subcategory of a small stable ∞ -category, 178
 - homotopical Waldhausen category, 185
 - of compactly generated spaces, 312
 - pointed category, 165
 - pointed ∞ -category, 177
 - right-exact ∞ -category, 183
 - right-exact G - ∞ -category, 190
 - small, 50, 146
 - stable ∞ -category, 177
 - strong category with G -support, 644
- cell
 - equivariant closed n -dimensional cell, 313
 - equivariant open n -dimensional cell, 313
- cellular
 - basis, 78
 - map, 313
 - pushout, 47
- center of a group, 130
- central extension, 130
 - universal, 130
- chain complex
 - bounded, 697
 - contractible, 77

- dual, 220
- elementary, 39
- finite, 38
- finite based free, 77
- finitely dominated, 691
- finitely generated, 38
- free, 38
- positive, 38
- projective, 38
- chain contraction, 77
- chain homotopy representation, 688
- change of rings homomorphism, 30
- Chern character
 - equivariant Chern character for an equivariant proper homology theory, 360
 - equivariant Chern character for complex topological K -cohomology, 283
 - for complex topological K -cohomology, 278
 - for complex topological K -homology, 278
 - for real topological KO -cohomology, 280
 - for real topological KO -homology, 280
- class group of a Dedekind domain, 34
- classifying G - CW -complex for a family of subgroups of G , 318
- classifying space
 - for a family of subgroups of G , 318
 - of a group, 63
- coarse embedding in a Hilbert space, 490
- cobordism, 85
 - bounded, 124
 - diffeomorphic relative M_0 , 85
 - h -cobordism, 85
 - over M_0 , 85
 - s -cobordism, 85
 - trivial, 85
- cocompact, 346
- coefficients of an equivariant proper homology theory extend to a Mackey functor, 359
- cohomological dimension
 - for groups, 329
 - for modules, 329
 - virtual, 331
- cohomology
 - complex topological K -cohomology, 277
 - real topological KO -cohomology, 280
- colimit
 - of a functor to abelian groups, 50
 - of a functor to rings, 50
 - colimit topology, 312
 - of C^* -algebras, 288
 - of rings, 65
- compact operator, 287
- compact support over X , 614
- compactly generated space, 312
- cone
 - of a C^* -algebra, 293
 - reduced cone, 348
- Congruence Subgroup Problem, 104
- Conjecture
 - Aspherical closed manifolds carry no Riemannian metric with positive scalar curvature, 431
 - Atiyah Conjecture, 51, 55
 - Bass Conjecture for fields of characteristic zero as coefficients, 56
 - Bass Conjecture for integral domains as coefficients, 58
 - Baum-Connes Conjecture, 418
 - Baum-Connes Conjecture for torsionfree groups, 294
 - Baum-Connes Conjecture with coefficients, 418
 - Borel Conjecture, 260
 - Borel Conjecture for a group G in dimension n , 260
 - Bost Conjecture, 421
 - Cannon Conjecture, 269
 - Cannon Conjecture in the torsionfree case, 269
 - Comparing algebraic and topological K -theory with coefficients for C^* -algebras, 306
 - Comparison of algebraic K -theory and homotopy K -theory for torsionfree groups, 160
 - Embedding Conjecture, 55
 - Farrell-Jones Conjecture for (smooth) pseudoisotopy, 462
 - Farrell-Jones Conjecture for (smooth) pseudoisotopy with coefficients, 462
 - Farrell-Jones Conjecture for (smooth) Whitehead spectra, 462
 - Farrell-Jones Conjecture for (smooth) Whitehead spectra with coefficients, 463
 - Farrell-Jones Conjecture for A -theory, 462
 - Farrell-Jones Conjecture for homotopy K -theory with coefficients in additive G -categories, 468
 - Farrell-Jones Conjecture for homotopy K -theory with coefficients in additive G -categories with finite wreath products, 468
 - Farrell-Jones Conjecture for homotopy K -theory for torsionfree groups, 159
 - Farrell-Jones Conjecture for K -theory for torsionfree groups and regular rings, 153
 - Farrell-Jones Conjecture for $K_0(R)$ for torsionfree G and regular R , 49

- Farrell-Jones Conjecture for $K_0(RG)$ and $K_1(RG)$ for regular R and torsionfree G , 110
- Farrell-Jones Conjecture for $K_0(RG)$ for regular R , 50
- Farrell-Jones Conjecture for $K_0(RG)$ for regular R with $\mathbb{Q} \subseteq R$, 50
- Farrell-Jones Conjecture for $K_0(RG)$ for an Artinian ring R , 52
- Farrell-Jones Conjecture for $\tilde{K}_0(\mathbb{Z}G)$ and $\text{Wh}(G)$ for torsionfree G , 110
- Farrell-Jones Conjecture for L -theory for torsionfree groups, 244
- Farrell-Jones Conjecture for negative K -theory of the ring of integers in an algebraic number field, 125
- Farrell-Jones Conjecture for negative K -theory and Artinian rings as coefficient rings, 125
- Farrell-Jones Conjecture for negative K -theory and regular coefficient rings, 125
- Farrell-Jones Conjecture for the algebraic K -theory of Hecke-Algebras, 469
- Farrell-Jones Conjecture for $\text{Wh}_2(G)$ for torsionfree G , 135
- Fibered Meta Isomorphism Conjecture for functors from spaces to spectra with coefficients, 459
- Fibered Meta-Isomorphism Conjecture, 438
- Fibered Meta-Isomorphism Conjecture with finite wreath products, 478
- Finite Models for $\underline{EG}$, 337
- Full Farrell-Jones Conjecture, 387
- Gromov-Lawson-Rosenberg Conjecture
 - Homological Gromov-Lawson-Rosenberg Conjecture, 430
 - Stable Gromov-Lawson-Rosenberg Conjecture, 429
- Homotopy invariance of the L^2 -Rho-invariant for torsionfree groups, 431
- Idempotent Conjecture, 52
- Idempotent Conjecture for prime characteristic, 52
- Integral Novikov Conjecture, 422
- K -theoretic Farrell-Jones Conjecture with coefficients in rings, 379
- K -theoretic Farrell-Jones Conjecture with coefficients in additive G -categories with finite wreath products, 386
- K -theoretic Farrell-Jones Conjecture with coefficients in additive G -categories, 382
- K -theoretic Farrell-Jones Conjecture with coefficients in higher G -categories with finite wreath products, 387
- K -theoretic Farrell-Jones Conjecture with coefficients in higher G -categories, 385
- K -theoretic Farrell-Jones Conjecture with coefficients in the ring R , 378
- K -theoretic Novikov Conjecture, 405
- K -theory versus homotopy K -theory for regular rings, 478
- Kadison Conjecture, 297
- L -theoretic Farrell-Jones Conjecture with coefficients in additive G -categories with involution, 384
- L -theoretic Farrell-Jones Conjecture with coefficients in additive G -categories with involution with finite wreath products, 387
- L -theoretic Farrell-Jones Conjecture with coefficients in rings with involution, 380
- L -theoretic Farrell-Jones Conjecture with coefficients in rings with involution after inverting 2, 380
- L -theoretic Farrell-Jones Conjecture with coefficients in the ring with involution R , 379
- L -theoretic Farrell-Jones Conjecture with coefficients in the ring with involution R after inverting 2, 379
- L -theoretic Novikov Conjecture, 405
- Manifold structures on aspherical Poincaré complexes, 266
- Meta-Isomorphism Conjecture, 436
- Meta-Isomorphism Conjecture for functors from spaces to spectra, 451
- Meta-Isomorphism Conjecture for functors from spaces to spectra with coefficients, 452
- Nil-groups for regular rings and torsionfree groups, 155
- Novikov Conjecture, 253
- Passage for L -theory from $\mathbb{Q}G$ to $\mathbb{R}G$ to $C_r^*(G, \mathbb{R})$, 473
- Poincaré Conjecture, 86
- Rational $\tilde{K}_0(\mathbb{Z}G)$ -to- $\tilde{K}_0(\mathbb{Q}G)$ -Conjecture, 59
- smooth Borel Conjecture, 260
- Strong Bass Conjecture, 58
- Strong Novikov Conjecture, 422
- Trace Conjecture for torsionfree groups, 297
- Trace Conjecture, modified, 428
- Unit-Conjecture, 115
- Weak Bass Conjecture, 58
- Zero-Divisor Conjecture, 55

- Zero-in-the-Spectrum Conjecture, 298
- conjugate
 - F -conjugate, 56
- continuous control, 615
- control
 - bounded control over $\mathbb{N}$, 615
 - continuous control, 615
 - Control-Strategy, 580
 - gaining control, 580
 - gaining relative control, 580
- controlled
 - algebra, 578
 - ϵ controlled homotopy equivalence, 576
 - ϵ -controlled h -cobordism, 575
 - ϵ -controlled morphism of geometric modules, 578
- cover
 - $\mathcal{F}$ -cover, 595
 - open $\mathcal{F}$ -cover, 595
- crossed product
 - maximal crossed product of C^* -algebras, 288
 - reduced crossed product of C^* -algebras, 288
- crystallographic group of dimension n , 546
- Cuntz C^* -algebra, 293
- CW -complex
 - finite, 37
 - finitely dominated, 37
 - labeled, 721
- cyclic homology, 160
- cyclotomic trace, 161
- Dedekind ring, 34
- degree one map, 221
- δ -hyperbolic
 - group, 322
 - metric space, 321
- Dennis trace map, 160
- descent homomorphisms
 - for KK -theory, 303
- dimension, 680
 - covering dimension, 680
 - minimal homotopy dimension, 331
 - of a simplex, 579
 - of a topological space, 680
 - of an abstract simplicial complex, 579
 - of an open cover, 680
 - topological dimension, 680
- Dirac element, 744
 - dual, 744
- Dirac-dual Dirac method, 743
- direct limit
 - of a functor to R -modules, 50
 - of a functor to abelian groups, 50
 - of C^* -algebras, 288
 - of groups, 65
 - of modules, 65
 - of rings, 65
- directed set, 65
- directed system, 65
 - of C^* -algebras, 288
 - of groups, 65
 - of modules, 65
 - of rings, 65
- directly finite
 - module, 53
 - ring, 53
- disk bundle, 284
- domination
 - α -domination, 575
 - finite domination of a CW -complex, 37
 - finite domination of a chain complex, 38
- double of a ring along an ideal, 101
- Dress group, 605
- Dress-Farrell-Hsiang group over $\mathcal{F}$, 606
- Dress-Farrell-Hsiang-Jones group over $\mathcal{F}$, 608
- dual chain complex, 220
- Dwyer-Kan localization, 176
- Eilenberg swindle, 147
- Eilenberg-MacLane space, 252
- elementary
 - (n, n) -matrix, 71
 - chain complex, 39
 - collapse, 80
 - expansion, 80
- ϵ -controlled
 - ϵ -controlled $\mathcal{A}$ -chain homotopy equivalence, 700
 - automorphism, 700
 - chain homotopy equivalence, 700
 - domination, 704
 - isomorphism, 700
 - self-chain homotopy equivalence, 700
- ϵ -homotopic maps, 576
- equivalence of categories, 350
- equivariant
 - asymptotic dimension, 609
 - Borel homology, 346
 - closed n -dimensional cell, 313
 - homology theory, 344
 - homology theory over a group, 372
 - open n -dimensional cell, 313
 - smooth triangulation, 315
- essentially unique, 177
- eta-invariant, 431
- Euclidean retract, 603
- Euler class, 284

- exact
 - category, 146
 - exact C^* -algebra, 492
 - functor, 146
- excisive, 564
- exotic sphere, 87
- extension
 - central, 130
 - closed under extensions, 150
- external multiplicative structure
 - for equivariant topological K -theory, 282
- $\mathcal{F}$ -cover, 595
 - open $\mathcal{F}$ -cover, 595
- factorizations, 185
- family of subgroups, 49
- Farrell-Hsiang group with respect to $\mathcal{F}$, 591
- Farrell-Jones group, 388
- fiber transport, 686
- filtered
 - $\mathcal{U}$ -filtered, 198
 - category, 65
 - left $\mathcal{U}$ -filtered, 198
 - right $\mathcal{U}$ -filtered, 197
 - system, 65
- finite
 - G -support, 614
 - asymptotic dimension, 492
 - decomposition complexity, 492
 - propagation operator, 423
 - quotient finite decomposition complexity, 493
 - resolution, 150
- finite domination, 702, 704
 - of a CW -complex, 37
 - of a chain complex, 38
- finitely
 - $\mathcal{F}$ -amenable group, 603
 - $\mathcal{F}$ -amenable group action, 603
 - homotopy $\mathcal{F}$ -amenable group, 605
- finitely dominated, 264
 - chain complex, 691
 - space, 13
- finiteness obstruction, 40
 - geometric, 45
 - unreduced, 40
- flasque additive category, 147
- flow space, 672
 - flow G -space, 672
 - flow G -space admitting strong contracting transfers, 682
- form
 - ϵ -quadratic, 209
 - ϵ -symmetric, 205
 - non-singular ϵ -quadratic, 209
 - non-singular ϵ -symmetric form, 205
 - stably U -based ϵ -quadratic form, 238
 - standard hyperbolic ϵ -quadratic form, 211
 - standard hyperbolic ϵ -symmetric form, 205
- formation
 - ϵ -quadratic formation, 231
 - stably isomorphic ϵ -quadratic formations, 231
 - stably U -based ϵ -quadratic formation, 238
 - trivial ϵ -quadratic formation, 231
- fractional ideal, 34
- Franz' Independence Lemma, 91
- Fredholm operator, 279
- free
 - free unitary representation, 89
- functor
 - additive invariant, 180
 - connective algebraic K -theory functor on CATST, 181
 - exact functor between stable ∞ -categories, 177
 - exact functor of additive categories, 146
 - finitary, 180
 - groupoid core functor, 176
 - localization functor, 176
 - localizing invariant, 182
 - non-connective algebraic K -theory functor on CATST, 183
 - of additive categories, 146
- functorial additive invariant for finitely dominated CW -complexes, 47
 - universal, 47
- fundamental class, 207, 220
- Fundamental Lemma of Homological Algebra, 99
- G - CW -complex, 312
 - finite, 314
 - finite-dimensional, 314
 - n -dimension, 314
 - of dimension $\leq n$, 314
 - of dimension n , 314
 - of finite type, 314
- G -homology theory, 340
- G -support, 613
- generalized Swan homomorphism, 108
- geometric
 - finiteness obstruction, 45
 - module, 577
 - realization of an abstract simplicial complex, 579
- Surgery Exact Sequence, 248
- transfer, 687

- Whitehead torsion, 84
- graph product, 554
- Green functor, 362
- Grothendieck group, 30
- group
 - a-T-menable, 502
 - almost connected topological group, 320
 - almost transfer $\mathcal{F}$ -reducible, 610
 - alternating group of even permutations of the set $\{1, 2, \dots, n\}$, 27
 - amenable, 501
 - boundary amenable, 492
 - CAT(0)-group, 498
 - crystallographic of dimension n , 546
 - Dress, 605
 - Dress-Farrell-Hsiang group over $\mathcal{F}$, 606
 - Dress-Farrell-Hsiang-Jones group over $\mathcal{F}$, 608
 - elementary amenable, 501
 - Farrell-Hsiang group with respect to $\mathcal{F}$, 591
 - Farrell-Jones group, 388
 - finite cyclic group of order n , 27
 - finite dihedral group of order $2n$, 27
 - finite-dimensional CAT(0)-group, 498
 - finitely $\mathcal{F}$ -amenable group, 603
 - finitely homotopy $\mathcal{F}$ -amenable group, 605
 - having property (P), 97
 - having property (RD), 489
 - having property (T), 502
 - having the Haagerup property, 502
 - having virtually property (P), 97
 - hyperbolic, 322
 - hypercyclic, 393
 - infinite cyclic group, 27
 - infinite dihedral group, 27
 - infinite special orthogonal group, 114
 - infinite special unitary group, 114
 - K -amenable, 420
 - lacunary hyperbolic, 496
 - p -elementary, 400
 - p -hypercyclic, 393
 - perfect, 130
 - Poincaré duality group of dimension n , 264
 - poly-(P), 97
 - poly-cyclic, 97
 - poly-free, 506
 - poly- $\mathbb{Z}$, 97
 - regular, 155
 - regular coherent, 155
 - sofic, 53
 - strictly $\mathcal{F}$ -transfer reducible, 592
 - strongly $\mathcal{F}$ -transfer reducible, 601
 - strongly poly-free, 505
 - strongly transfers reducible over $\mathcal{F}$, 600
 - symmetric group of permutations of the set $\{1, 2, \dots, n\}$, 27
 - Thompson's groups, 508
 - transfer $\mathcal{F}$ -reducible, 599
 - virtually cyclic, 15
 - virtually cyclic of type I, 392
 - virtually cyclic of type II, 392
 - virtually finitely generated abelian, 97
 - virtually free group, 97
 - virtually nilpotent, 97
 - virtually poly-cyclic, 97
- group ring, 48
 - twisted, 380
- groupoid, 350
 - connected, 350
 - groupoid core functor, 176
 - transport groupoid, 350
- groupoidification, 176
- Gysin sequence, 284
- h -cobordism, 85
 - bounded, 124
- Hattori-Stallings homomorphism, 55
- Hattori-Stallings rank, 55
- Hecke algebra, 468
- Heisenberg group
 - three-dimensional, 294
 - three-dimensional discrete, 295
- higher signature, 253
 - associated to a homology class, 253
- Hochschild homology, 160
- homology
 - Borel homology, 346
 - Bredon homology, 340
 - cellular, 63
 - coefficients of an equivariant proper homology theory extend to a Mackey functor, 359
 - complex topological K -homology, 278
 - continuous equivariant homology theory, 444
 - cyclic homology, 160
 - equivariant homology theory, 344
 - equivariant homology theory over a group, 372
 - G -homology theory, 340
 - Hochschild homology, 160
 - negative cyclic homology, 160
 - periodic cyclic homology, 160
 - proper equivariant homology theory, 344
 - proper G -homology theory, 340
 - real topological KO -homology, 280
 - singular, 63

- strongly continuous equivariant homology theory, 445
- topological cyclic homology, 161
- homomorphism of C^* -algebras, 286
- homotopic, 286
- homotopic
 - α -homotopic maps, 575
 - ϵ -homotopic maps, 576
- homotopical Waldhausen category, 185
- homotopy
 - pointed regular homotopy, 214
 - regular homotopy, 214
- homotopy action
 - homotopy coherent G -action of a group on a space, 600
 - homotopy S -action on a space, 678
 - of a finitely presented group on a space, 598
 - of a group on a $\mathbb{Z}$ -chain complex, 690
 - of a group on a space, 598
 - strong homotopy action of a group on a space, 600
- homotopy algebraic K -theory, 158
- homotopy coherent G -action of a group on a space, 600
- homotopy equivalence
 - α -homotopy equivalences, 575
- homotopy fiber, 138
- homotopy fixed points of an ordinary category with a strict G -action, 736
- homotopy invariance of higher signatures, 253
- homotopy invariant functor, 564
- homotopy inverse
 - α -homotopy inverse, 575
- homotopy K -theory functor, 467
- homotopy representation
 - free d -dimensional, 106
- homotopy sequence
 - long exact homotopy sequence of a map, 138
- homotopy sphere, 263
- homotopy stabilization of a functor from additive categories to spectra, 466
- homotopy theoretic assembly transformation, 566
- hyperbolic
 - group, 322
 - metric space, 322
- ideal
 - fractional, 34
 - principal fractional ideal, 34
 - principal ideal, 30
- ideal in a C^* -algebra, 287
- idempotent complete
 - idempotent complete stable ∞ -category, 182
- idempotent complete additive category, 148
- idempotent completion of an additive category, 148
- immersion
 - pointed, 214
- index pairing, 302
- induction
 - for equivariant KK -theory, 303
 - for equivariant spaces, 344
 - for equivariant topological K -theory, 282
 - of C^* -algebras, 303
 - of modules with respect to ring homomorphisms, 30
- induction structure, 344
- inductive limit of C^* -algebras, 288
- integral domain, 30
- internal multiplicative structure
 - for equivariant topological K -theory, 282
- intersection pairing
 - for immersions, 214
 - for kernels, 227
- involution
 - w -twisted involution on a group ring, 204
 - of rings, 204
- isotopic, 135
- Jacobson radical, 66
- K -theory mod k , 144
- K -theory space
 - of a category with cofibrations and weak equivalences, 167
 - of a ring, 139
 - of an exact category, 146
- K -theory spectrum
 - complex topological K -theory, 278
 - non-connective K -theory spectrum of a ring, 147
 - non-connective K -theory spectrum of an additive category, 147
 - over groupoids, 353
 - real topological K -theory, 280
- K_0 -group of a ring, 30
- K_1 -group of a ring, 69
- K_2 -group of a ring, 130
- K_n -group of a ring for negative n , 117
- K_n -group of a ring for positive n , 139
- K_n -group of an additive category, 147
- Karoubi filtration, 198
 - left, 198
 - right, 197
- Kasparov's intersection product, 301
 - equivariant, 302
- Kazhdan's property (T), 502

- Kirchberg C^* -algebras, 293
- KK -equivalence, 301
- KK -theory of Kasparov, 299
 - equivariant, 302
- KO -orientation of Spin bordism, 280
- Kronecker pairing, 207
- L -class, 253
- L -group
 - decorated quadratic L -groups in even dimensions, 238
 - decorated quadratic L -groups in odd dimensions, 239
 - projective quadratic L -group, 241
 - quadratic L -groups in even dimensions, 211
 - quadratic L -groups in odd dimensions, 233
 - simple, 240
- L -theory spectrum
 - associated to a ring with decoration $\langle -\infty \rangle$, 244
 - over groupoids, 353
- L^1 -metric, 579
- L^2 -Betti number, 51
- L^2 -eta-invariant, 431
- L^2 -rho-invariant, 431
- labeled CW -complex, 721
- labeling, 721
- lagrangian, 212
 - complementary, 232
 - sublagrangian, 212
- lattice, 500
- length function, 488
 - having property (RD), 489
- length of a finite group, 333
- lens space, 89
- linearization map, 169
- local finiteness over $\mathbb{N}$, 614
- localizing invariant, 182
- locally compact
 - operator, 423
- locally free class group of a $\mathbb{Z}$ -order, 60
- Mackey functor, 358
- manifold
 - orientable, 221
 - oriented, 221
 - w -oriented, 221
- manifold parametrized over $\mathbb{R}^k$, 124
- map
 - acyclic, 138
 - α -close maps, 575
 - cellular, 313
 - linearization map, 169
 - of degree one, 221
- mapping class group, 323, 507
- mapping cone
 - of a chain map, 77
 - of a map of spaces, 81
- mapping cylinder
 - of a chain map, 77
 - of a map of spaces, 81
- marked metric graph, 323
- maximal crossed product of C^* -algebras, 288
- maximal group C^* -algebra, 288
- metric
 - L^1 -metric, 579
- metric space
 - bounded, 727
 - hyperbolic, 322
 - proper, 422
 - uniformly contractible, 423
 - with bounded geometry, 423
- metrically proper action, 502
- minimal homotopy dimension, 331
- module
 - Artinian, 52
 - geometric, 577
 - irreducible, 52
 - simple, 52
 - stably finitely generated free, 31
 - stably U -based, 237
 - U -based, 237
- modules
 - stably isomorphic finitely generated projective modules, 64
- Morita equivalence, 32
- Morphism Additivity, 646
- Mostow rigidity, 261
- N - $\mathcal{F}$ -amenable group action, 603
- N -transfer space, 592
- Nakayama's Lemma, 66
- negative cyclic homology, 160
- Nil group
 - reduced zero-th, 94
 - zero-th, 93
- Nil-spectrum
 - non-connective, 156
- nilpotent
 - endomorphism of a module, 93
- norm element of a finite group, 104
- normal bordism, 222
- normal map, 221
 - of degree one of manifolds with boundary, 235
 - of degree one, 221
 - stabilization of a normal map, 222
- normalizer, 313

- normally bordant, 222
- object of finite length, 151
- object of length $\leq l$, 151
- open $\mathcal{F}$ -cover, 595
- operator
 - compact, 287
 - finite propagation operator, 423
 - locally compact, 423
 - pseudolocal, 423
- orbit category, 49
 - $\mathcal{F}$ -restricted, 49
- order
 - of an open cover, 680
- orientable manifold, 221
- orientation
 - of a manifold, 207
- orientation homomorphism
 - of a Poincaré complex, 220
- oriented manifold, 221
- outer space, 323
 - spine of outer space, 323
- perfect
 - group, 130
 - radical, 139
- periodic cyclic homology, 160
- Pimsner-Voiculescu sequences for KK -theory, 302
- plus-construction, 138
- Poincaré duality group of dimension n , 264
- Poincaré complex
 - finite n -dimensional, 220
 - simple finite n -dimensional, 235
 - w -oriented, 221
- Poincaré pair
 - finite n -dimensional, 234
 - simple finite n -dimensional, 235
- Poincaré $\mathbb{Z}\pi$ -chain homotopy equivalence, 220
- pointed category, 165
- pointed regular homotopy, 214
- poly-cyclic group, 97
- poly- $\mathbb{Z}$ group, 97
- Pontrjagin class
 - rational, 253
- principal fractional ideal, 34
- principal ideal domain, 30
- principle
 - assembly principle, 561
 - separation of variables, 522
 - Transitivity Principle, 441
 - Transitivity Principle for equivariant homology, 441
 - wait and then flow together, 585
- Problem
 - Brown's problem about
 - $\mathrm{vcd}(G) = \dim(\underline{EG})$, 333
 - Congruence Subgroup Problem, 104
 - Identification of analytic Surgery Exact Sequences, 476
 - Identification of transformations from the Surgery Exact Sequence to its analytic counterpart, 476
 - Relating the dimension of $\underline{EG}$ and $\underline{\underline{EG}}$, 334
 - Space Form Problem, 275
 - Spherical Space Form Problem, 275
- product
 - reduced product of spectra, 719
- product structure
 - ϵ -product structure on an h -cobordism, 576
- projective class group, 30
 - reduced, 31
- projective quadratic L -group, 241
- projective resolution, 48
 - d -dimensional, 49
 - finite, 48
 - finite-dimensional, 49
 - finitely generated, 49
 - free, 49
- proper
 - equivariant homology theory, 344
 - G - C^* -algebra, 743
 - G -homology theory, 340
 - G -space, 315
 - map, 124
 - metric space, 422
 - metrically proper action, 502
- pseudoisotopic, 135
- pseudoisotopy, 135, 163
- pseudoisotopy spectrum, 164
 - smooth pseudoisotopy spectrum, 164
- pseudolocal
 - operator, 423
- pushout
 - cellular, 47
- Q -construction, 146
- quadratic form
 - stably isomorphic, 212
- quadratic refinement, 210
- Question
 - Amenability and the passage from $K_0(\mathbb{C}G)$ to $G_0(\mathbb{C}G)$, 413
 - Amenability and the vanishing of $G_0(\mathbb{C}G)$, 413
 - Is $K_i(C_r^*(\mathbb{Z}^n \rtimes \mathbb{Z}/m))$ torsionfree?, 548
 - Vanishing of the resolution obstruction in the aspherical case, 267

- quotient category, 197
- quotients for additive categories, 197
- radical, 66
 - perfect, 139
- reduced
 - crossed product of C^* -algebras, 288
 - group C^* -algebra, 287
 - K_1 -group of a ring, 75
 - product of spectra, 719
- refinement
 - quadratic, 210
- regular coherent
 - regular coherent group, 155
 - regular coherent ring, 155
- regular homotopy, 214
- Reidemeister torsion, 88
- resolution
 - finite, 150
 - projective, 48
- restriction
 - for equivariant KK -theory, 303
 - for equivariant topological K -theory, 282
- retract
 - absolute neighborhood retract, 264
 - absolute retract, 604
 - Euclidean retract, 603
- right α -homotopy inverse, 575
- ring
 - Artinian, 52
 - Burnside ring, 362
 - Dedekind ring, 34
 - directly finite, 53
 - group ring, 48
 - hereditary, 34
 - integral domain, 30
 - local, 65
 - Noetherian, 49
 - obtained by adjoining a unit, 102
 - of integers, 35
 - principal ideal domain, 30
 - regular, 49
 - regular coherent, 155
 - semihereditary, 97
 - semilocal, 66
 - semisimple, 63
 - stably finite, 53
 - Swan ring, 363
 - twisted group ring, 380
 - with involution, 204
- Rips complex
 - of a group, 322
 - of a metric space, 423
- Roe algebra, 423
- Rothenberg sequence, 242
- s -cobordism, 85
- self-intersection element, 216
- self-torsion, 698
- semisimple
 - object, 151
 - ring, 63
- set of normal maps to a compact manifold, 247
- sheering RG -isomorphism, 363
- signature
 - higher, 253
 - higher signature associated to a homology class, 253
 - homotopy invariance of higher signatures, 253
 - of a closed oriented manifold, 207
 - of a non-singular symmetric bilinear pairing, 206
- simple
 - homotopy equivalence, 80
 - L -group, 240
 - object, 151
 - simple Poincaré complex, 235
 - simple Poincaré pair, 235
 - structure, 686
- simplicial complex
 - abstract simplicial complex, 579
- six-term exact sequence of an ideal, 291
- skeleton, 313
 - skeleton of a category, 146
- small category, 146
- smash product, 348
 - of a space with a spectrum, 348
- smooth pseudoisotopy spectrum, 164
- sofic group, 53
- space
 - acyclic, 137
 - C -space, 348
 - finitely dominated, 13
 - K -theory space of a category with cofibrations and weak equivalences, 167
 - K -theory space of a ring, 139
 - K -theory space of an exact category, 146
 - N -transfer space, 592
 - of parametrized h -cobordisms, 173
 - of stable parametrized h -cobordisms, 173
- Space Form Problem, 275
- spectrum, 348
 - Ω -spectrum, 348
 - complex topological K -theory spectrum, 278
 - homotopy groups of a spectrum, 348
 - map of spectra, 348

- non-connective K -theory spectrum of an additive category, 147
- non-connective K -theory spectrum of a ring, 147
- of a commutative ring, 66
- real topological K -theory spectrum, 280
- sphere spectrum, 176
- structure maps of a spectrum, 348
- weak equivalence of spectra, 348
- sphere, 284
- sphere spectrum, 176
- Spherical Space Form Problem, 275
- spine of outer space, 323
- split Verdier quotient, 179
- split Verdier square, 179
- stably
 - stably isomorphic quadratic forms, 212
 - finite ring, 53
 - stably finitely generated free module, 31
 - stably isomorphic finitely generated projective modules, 64
 - stably isomorphic ϵ -quadratic formations, 231
- Steinberg group, 130
 - n -th Steinberg group, 129
- Steinberg symbol, 133
- strategy
 - Control-Strategy, 580
- strictly $\mathcal{F}$ -transfer reducible group, 592
- strong
 - category with G -support, 644
 - contracting transfers, 682
 - homotopy action of a group on a space, 600
- strongly
 - $\mathcal{F}$ -transfer reducible, 600
 - strongly continuous equivariant homology theory, 445
 - transfer $\mathcal{F}$ -reducible, 601
 - transfers reducible over $\mathcal{F}$, 600
- structure set, 246
- simple, 245
- subgroup category, 50
 - $\mathcal{F}$ -restricted, 50
- support
 - G -support, 613
 - of a geometric module, 577
 - of morphisms of geometric module, 577
 - support function, 613
- Surgery Exact Sequence
 - algebraic, 251
 - analytic, 476
 - for the PL category, 250
 - for the topological category, 250
 - geometric, 248
- surgery kernel, 225
- surgery obstruction
 - even-dimensional, 229
 - for manifolds with boundary, 236
 - for manifolds with boundary and simple homotopy equivalences, 240
 - in odd dimensions, 233
- Surgery Program, 88
- suspension, 77
 - of a C^* -algebra, 293
- Swan homomorphism, 105
 - generalized, 108
- Swan ring, 363
 - A -theoretic, 606
- system
 - directed, 65
 - filtered, 65
- Teichmüller space, 323
- tensor product of C^* -algebras
 - maximal, 288
 - minimal, 288
 - spatial, 288
- Theorem
 - A criterion for 1-dimensional models for $\underline{EG}$, 331
 - A -theory is a homotopy-invariant functor, 169
 - Actions on CAT(0)-spaces, 321
 - Actions on simply connected non-positively curved manifolds, 320
 - Actions on trees, 321
 - Additivity Theorem for categories with cofibrations and weak equivalences, 173
 - Additivity Theorem for exact categories, 150
 - Algebraic L -theory of $\mathbb{Z}G$ for finite groups, 274
 - Algebraic and topological K -theory mod k for $\mathbb{R}$ and $\mathbb{C}$, 145
 - Algebraic K -theory and colimits over directed sets, 141
 - Algebraic K -theory and finite products, 140
 - Algebraic K -theory mod k of algebraically closed fields, 144
 - Algebraic K -theory of finite fields, 143
 - Algebraic Thin h -Cobordism Theorem, 579
 - α -Approximation Theorem, 575
 - Aspherical closed manifolds with exotic fundamental groups, 259
 - Basic properties of Whitehead torsion, 79
 - Bass-Heller-Swan decomposition
 - for middle and lower K -theory, 118
 - Bass-Heller-Swan decomposition for $\text{Wh}(G \times \mathbb{Z})$, 95

- Bass-Heller-Swan decomposition for K_1 for regular rings, 97
- Bass-Heller-Swan decomposition for algebraic K -theory, 141
- Bass-Heller-Swan decomposition for homotopy K -theory, 467
- Bass-Heller-Swan decomposition for K_1 , 95
- Bass-Heller-Swan decomposition for lower and middle K -theory for regular rings, 119
- Bijectivity of the L -theoretic assembly map from $\mathcal{FTN}$ to $\mathcal{VCY}$ after inverting 2, 400
- Bijectivity of the assembly map for topological cyclic homology for finite groups and the family of cyclic subgroups, 465
- Bökstedt-Hsiang-Madsen Theorem, 509
- Bounded h -Cobordism Theorem, 125
- Brown's Problem has a negative answer in general, 333
- Characterization of Dedekind domains, 34
- Cocompletion Theorem for the topological complex K -homology, 285
- Comparing functors from CATST to Sp and $\mathrm{Sp}_{\geq 0}$, 182
- Completion Theorem for complex and real K -theory, 285
- Computation of the topological K -theory of $\mathbb{Z}^n \rtimes \mathbb{Z}/m$ for a free conjugation action, 546
- Connectivity of the linearization map, 169
- Constructing G -homology theories using spectra, 349
- Constructing equivariant homology theories over a group using spectra, 373
- Constructing equivariant homology theories using spectra, 350
- Criteria for the rational vanishing of middle and lower K -theory of integral group ring, 519
- Detection Result for $\mathbb{Q}$ and $\mathbb{C}$ as coefficients, 161
- Devissage, 151
- Diffeomorphism classification of lens spaces, 90
- Dimension of $\underline{EG}$ for elementary amenable groups of finite Hirsch length, 334
- Dimension of $\underline{EG}$ and extension, 332
- Dimension of $\underline{EG}$ for a discrete subgroup G of an almost connected Lie group, 332
- Dimension of $\underline{EG}$ for countable elementary amenable groups of finite Hirsch length, 332
- Dimensions of $\underline{EG}$ and $\underline{\underline{EG}}$ for groups acting on $\mathrm{CAT}(0)$ -spaces, 335
- Dirac-dual Dirac method, 744
- Dirichlet Unit Theorem, 75
- Discrete subgroups of almost connected Lie groups, 320
- Down-up formula, 689
- Dress-Farrell-Hsiang-Jones groups and the K -theoretic Farrell-Jones Conjecture with finite wreath products, 609
- Dress-Farrell-Hsiang-Jones groups and the K -theoretic Farrell-Jones Conjecture, 608
- Dual of the Green-Julg Theorem, 304
- Equivariant Cellular Approximation theorem, 315
- Equivariant Chern character for equivariant complex K -homology, 305
- Equivariant homology theories associated to right exact Γ - ∞ -categories, 190
- Equivariant Whitehead Theorem, 317
- Estimate on $\dim(\underline{EG})$ in terms of $\mathrm{vcd}(G)$, 333
- Eventual injectivity of the rational K -theoretic assembly map for $R = \mathbb{Z}$, 510
- Every CW -complex occurs up to homotopy as quotient of a classifying space for proper group actions, 337
- Exact sequence of a two-sided ideal for middle K -theory, 102
- Exact sequence of two-sided ideal for K -theory in degree ≤ 2 , 131
- Exotic aspherical closed manifolds with hyperbolic fundamental group, 258
- Exotic universal coverings of aspherical closed manifolds, 258
- External Künneth Theorem for complex K -theory, 283
- Farrell-Jones Conjecture for torsionfree hyperbolic groups for K -theory, 542
- Finite groups with vanishing $\mathrm{Wh}(G)$ or $SK_1(\mathbb{Z}G)$, 112
- Finite groups with vanishing $\tilde{K}_0(\mathbb{Z}G)$, 62
- Finite-dimensional models for $\underline{EG}$ for discrete subgroup of $\mathrm{GL}_n(\mathbb{R})$, 336
- Finitely $\mathcal{F}$ -amenable actions and the Farrell-Jones Conjecture, 603
- Finiteness conditions for BG , 329
- Fixed point free smooth actions of finite groups on disks, 606
- Flow estimate in the hyperbolic case, 680
- Flow estimates in the $\mathrm{CAT}(0)$ -case, 679

- Fundamental exact sequences for groups satisfying conditions (M) and (NM), 530
- Fundamental Theorem of K -theory in dimension 1, 96
- Geometric and algebraic Whitehead groups, 84
- Grothendieck decomposition for G_0 and G_1 , 96
- Group completion, 180
- Groups in $AC(\mathcal{VSO}\mathcal{L}\mathcal{V})$ satisfy the Full Farrell-Jones Conjecture, 604
- h -Cobordism theorem, 86
- Hilbert Basis Theorem, 97
- Homotopy characterization of $E_{\mathcal{F}}(G)$, 318
- Homotopy classification of lens spaces, 90
- Homotopy groups of $\mathbf{Wh}(BG)$ of a torsionfree hyperbolic group G , 172
- Homotopy groups of $\text{Diff}(M)$ rationally for closed aspherical M , 271
- Homotopy groups of $\text{Top}(M)$ rationally for closed aspherical M , 271
- Homotopy groups of $\text{Top}(M)$ for closed aspherical M with hyperbolic fundamental group, 273
- Homotopy groups of $\mathbf{Wh}(BG)$ and $\mathcal{P}(BG)$ rationally for torsionfree G , 171
- Homotopy groups of $\mathbf{Wh}^{\text{DIFF}}(BG)$ and $\mathcal{P}^{\text{DIFF}}(BG)$ rationally for torsionfree G , 172
- Homotopy Invariance of $\rho^{(2)}(M)$, 432
- Hyperbolic groups with Čech-homology spheres as boundary, 268
- Hyperbolic groups with spheres as boundary, 268
- Hyperclementary Induction, 393
- Identification of non-connective K -theory for additive categories in the classical setting and in the setting of higher categories, 184
- Identifying the finiteness obstruction with its geometric counterpart, 46
- Immersion and Bundle Monomorphisms, 226
- Independence of decorations, 242
- Inheritance properties of the Meta-Isomorphism Conjecture for functors from spaces to spectra with coefficients, 453
- Inheritance properties of the Baum-Connes Conjecture with coefficients, 424
- Inheritance properties of the Full Farrell-Jones Conjecture, 388
- Injectivity of the Farrell-Jones assembly map for $\mathcal{FIN}$ for linear groups, 494
- Injectivity of the Farrell-Jones assembly map for $\mathcal{FIN}$ for subgroups of almost connected Lie groups, 493
- K - and L -theory spectra over groupoids, 353
- K - and L -groups of Fuchsian groups, 542
- K -theory and directed colimits, 153
- K -theory and Verdier quotients, 182
- $K_0(R)$ of local rings, 65
- $K_0(RG)$ for finite G and an Artinian ring R , 62
- $\tilde{K}_0(RG)$ is finite for finite G and R the ring of integers in an algebraic number field, 60
- $K_1(B)$ of a commutative Banach algebra, 114
- $K_1(B)$ of a commutative C^* -algebra $C(X)$, 114
- $K_1(F)$ of skew-fields, 70
- $K_1(R) = R^*$ for commutative rings with Euclidean algorithm, 74
- $K_1(R)$ equals $\text{GL}(R)/[\text{GL}(R), \text{GL}(R)]$, 73
- $K_2(R)$ and universal central extensions of $E(R)$, 130
- Künneth Theorem for KK -theory, 302
- Künneth Theorem for finite CW -complexes for topological complex K -cohomology, 279
- Künneth Theorem for topological K -theory of C^* -algebras, 293
- Karoubi's Conjecture, 306
- L -groups of the integers in dimension $4n$, 213
- L -groups of the integers in dimension $4n + 2$, 213
- L -theory and topological K -theory of complex C^* -algebras, 307
- Localization, 152
- Localization Theorem for equivariant topological complex K -theory, 285
- Long and thin covers, 682
- Long exact sequence of a two-sided ideal for higher algebraic K -theory, 139
- Low-dimensional models for $\underline{E}G$ and $\underline{\underline{E}}G$, 336
- Lower and middle K -theory of the integral group ring of $\text{SL}_3(\mathbb{Z})$, 554
- Mayer-Vietoris sequence for K -theory in degree ≤ 2 of a pullback of rings, 131
- Mayer-Vietoris sequence for middle K -theory of a pullback of rings, 99
- Mayer-Vietoris sequence of an amalgamated free product for algebraic K -theory, 156

- Mayer-Vietoris sequence of an amalgamated free product for homotopy K -theory, 158
- Models for $\underline{EG}$ of finite type, 331
- Morita equivalence for $K_0(R)$, 32
- Morita equivalence for $K_1(R)$, 71
- Morita equivalence for algebraic K -theory, 140
- Negative K -theory of RG for a finite group G and a Dedekind domain of characteristic zero R , 126
- $NK_n(R)$ is trivial or infinitely generated for $n \geq 1$, 142
- $NK_n(R)[1/N]$ vanishes for characteristic N , 142
- Noetherian group rings, 97
- Non-connective K -theory and idempotent completion, 149
- Non-triangulable aspherical closed manifolds, 258
- Operator theoretic model, 320
- p -elementary induction for $NK_n(RG)$, 142
- Passage from $\mathcal{FIN}$ to $\mathcal{VCY}_I$ for L -theory, 400
- Passage from $\mathcal{HE}_I$ to $\mathcal{VCY}$ for K -theory and additive G -categories as coefficients, 394
- Passage from $\mathcal{VCY}_I$ to $\mathcal{VCY}$ for K -theory, 394
- Passage from EG to $\underline{EG}$, 325, 328
- Poincaré duality groups and aspherical compact homology ANR-manifolds, 266
- Product decompositions of aspherical closed manifolds, 270
- Properties of $\text{Fun}^{\text{floc}}(\text{CATST}, \text{Sp})$, 731
- Properties of $\mathbf{H}^G(-; F_C)$, 726
- Properties of the finiteness obstruction, 40
- Properties of the plus-construction, 138
- Properties of the signature of oriented compact manifolds, 207
- Pseudoisotopy is a homotopy-invariant functor, 165
- Rational algebraic K -theory of ring of integers of number fields, 143
- Rational computation of $K_*(C_r^*(G))$ for a virtually $\mathbb{Z}^n$ -group G , 528
- Rational computation of $K_*(C_r^*(G))$ for a virtually $\mathbb{Z}^n$ -group G in the split case, 528
- Rational computation of algebraic L -theory, 521
- Rational computation of the source of the assembly maps appearing in the Farrell-Jones and Baum-Connes Conjecture, 367
- Rational computation of topological K -theory, 521
- Rational computations of $K_n(RG)$ for regular R , 519
- Rational injectivity of $\mathbb{Z} \otimes_{\mathbb{Z}G} \text{Wh}(H) \rightarrow \text{Wh}(G)$ for normal finite $H \subseteq G$, 515
- Rationally injectivity of the colimit map for finite subgroups for the Whitehead group, 510
- Realizability of the surgery obstruction, 246
- Realization Theorem, 43
- Reducing the family of subgroups for the Baum-Connes Conjecture, 426
- Reduction to the family $\mathcal{FIN}$ for algebraic K -theory with regular rings as coefficients, 395
- Reductions to families contained in $\mathcal{FIN}$ for algebraic K -theory with rings as coefficients, 395
- Reflection group trick, 514
- Regular group rings, 97
- Relating the K -theory of $\mathcal{D}^G(X)$ and $\mathcal{D}_0^G$, 652
- Relative Whitehead Lemma, 103
- Resolution Theorem, 150
- Rim's Theorem, 60
- Rips complex, 322
- s -Cobordism Theorem, 85
- Self-intersections and embeddings, 218
- Shaneson splitting, 243
- Signature Theorem, 254
- Simple surgery obstruction for manifolds with boundary, 241
- $SK_1(G) = \text{tors}(\text{Wh}(G))$, 112
- Slice Theorem for G -CW-complexes, 314
- Split Injectivity of the assembly map appearing in the L -theoretic Farrell Jones Conjecture with coefficients in the ring $\mathbb{Z}$ for fundamental groups of complete Riemannian manifolds with non-positive sectional curvature, 492
- Split Injectivity of the assembly map appearing in the Baum-Connes Conjecture for fundamental groups of complete Riemannian manifolds with non.-positive sectional curvature, 490
- Split injectivity of the assembly map appearing in the Baum-Connes Conjecture with coefficient, 490
- Splitting the K -theoretic assembly map from $\mathcal{FIN}$ to $\mathcal{VCY}$, 390
- Splitting the L -theoretic assembly map from $\mathcal{FIN}$ to $\mathcal{VCY}$, 391
- Stable Cannon Conjecture, 269

- Status of the Full Farrell-Jones Conjecture, 481
- Status of the Baum-Connes Conjecture with coefficients, 486
- Status of the Baum-Connes Conjecture, 489
- Status of the Coarse Baum-Connes Conjecture, 490
- Status of the Farrell-Jones Conjecture for homotopy K -theory, 484
- Strategy Theorem, 714
- Strictly transfer $\mathcal{F}$ -reducible groups and the Farrell-Jones Conjecture, 593
- Strongly transfer $\mathcal{F}$ -reducible groups and the Farrell-Jones Conjecture, 601
- Strongly transfer $\mathcal{VCY}$ -reducible groups and the Full Farrell-Jones Conjecture, 602
- Surgery Exact Sequence, 248
- Surgery Exact Sequence for the PL and the topological category, 250
- Surgery Obstruction for Manifolds with Boundary, 236
- Surgery obstruction in even dimensions, 229
- Surgery obstruction in odd dimensions, 234
- Swan's Theorem, 36
- The K -theoretic Farrell-Jones Conjecture implies the Farrell-Jones Conjecture for homotopy K -theory, 477
- The p -chain spectral sequence, 356
- The algebraic K -groups of $\mathcal{D}^G(X, A)$ yield a G -homology theory, 623
- The algebraic K -groups of $\mathcal{D}_0^G(X, A)$ yield a G -homology theory, 663
- The algebraic K -theory and L -theory of right-angled Artin groups, 555
- The Bass Conjecture for integral domains and elements of finite order, 59
- The Baum-Connes Conjecture implies the Novikov Conjecture, 422
- The Baum-Connes Conjecture implies the Stable Gromov-Lawson-Rosenberg Conjecture, 429
- The Baum-Connes Conjecture with coefficients for proper G - C^* -algebras, 744
- The class group of a ring of integers is finite, 35
- The dimension of $\underline{EG}$, 334
- The equivariant Atiyah-Hirzebruch spectral sequence, 355
- The equivariant Chern character, 360
- The Farrell-Jones and the Borel Conjecture, 261
- The Farrell-Jones Conjecture and the Bass Conjecture for fields of characteristic zero, 57
- The Farrell-Jones Conjecture and the Bass Conjecture for integral domains, 58
- The Farrell-Jones Conjecture for the algebraic K -theory of Hecke algebras, 469
- The Farrell-Jones Conjecture holds for topological Hochschild homology, 464
- The Farrell-Jones Conjecture with coefficients in additive G -categories (with involutions) is automatically fibered, 438
- The finiteness obstruction is the universal functorial additive invariant, 48
- The Full Farrell-Jones Conjecture and relatively hyperbolic groups, 497
- The Full Farrell-Jones Conjecture for normally poly-free groups, 506
- The Full Farrell-Jones Conjecture for strongly poly-surface groups, 505
- The Full Farrell-Jones Conjecture implies all other variants, 405
- The generalized Swan homomorphism, 108
- The geometric finiteness obstruction, 46
- The middle and lower K -theory of RG for finite G and Artinian R , 123
- The reduced projective class group and the class group of Dedekind domains, 34
- The set of normal maps and G/O, G/PL and G/TOP, 250
- The stable parametrized h -cobordism theorem, 173
- The strong Novikov Conjecture implies the Zero-in-the-Spectrum Conjecture, 298
- The topological K -theory of right-angled Artin groups, 555
- The topological K -theory of right-angled Coxeter groups, 556
- The weak homotopy fibration sequence of a Karoubi filtration, 199
- Thin h -Cobordism Theorem, 576
- $\mathcal{TOD}$ -sequence, 621
- Topological K -theory of the C^* -algebra of finite groups, 308
- Topological equivariant K -theory of $E_{FIN}(\mathrm{SL}_3(\mathbb{Z}))$, 554
- Topological invariance of rational Pontrjagin classes, 254
- Topological invariance of Whitehead torsion, 80
- Torsion and free homotopy representations, 109

- Transfer criterion for the Farrell-Jones Conjecture, 715
- Transfer reducible groups and the Farrell-Jones Conjecture, 599
- Transitivity Principle, 441
- Transitivity Principle for equivariant homology, 441
- Universal Coefficient Theorem for KK -theory, 302
- Universal Coefficient Theorem for equivariant complex K -theory, 283
- Universal Property of assembly, 565
- Vanishing criterion of $NK_n(RG)$ for finite groups, 142
- Vanishing of $NK_n(RK, \phi)$, 158
- Vanishing of $NK_n(\mathbb{Z}[G \times \mathbb{Z}^k])$ for $n \leq 1$, $k \geq 0$ and finite G of squarefree order, 142
- Vanishing of the odd-dimensional L -groups of the ring of integers, 233
- Vanishing results for $D(\mathbb{Z}G)$, 61
- Vanishing of SK_1 of ring of integers in an algebraic number field, 75
- Waldhausen's cartesian squares for non-connective algebraic K -theory, 155
- Wang sequence associated to an HNN-extension for algebraic K -theory, 157
- Wang sequence associated to an HNN-extension for homotopy K -theory, 159
- Whitehead torsion and simple homotopy equivalences, 82
- Whitney's Approximation Theorem, 222
- Thom class, 284
- Thom isomorphism, 284
- topological cyclic homology, 161
- topological K -theory
 - K -homology of a C^* -algebra, 302
 - complex topological K -cohomology of spaces, 277
 - complex topological K -homology of spaces, 278
 - complex topological K -theory of spaces, 277
 - equivariant complex topological K -homology of spaces, 304
 - equivariant complex topological K -homology of spaces with compact support, 304
 - equivariant real topological K -homology of spaces, 305
 - of C^* -algebras, 289
 - real topological K -cohomology of spaces, 280
 - real topological K -theory of spaces, 280
 - real topological KO -homology of spaces, 280
 - twisted topological K -theory, 281
- topologically amenable group action, 491
- topologically rigid, 259
- total surgery obstruction, 251
- trace
 - cyclotomic, 161
 - standard trace of $C_r^*(G)$, 296
- transfer
 - geometric transfer, 687
- transport groupoid, 350
- tree, 321
- twisted group ring, 380
- two-out-of-six property, 185
- type FP
 - for groups, 264
- type FP_n
 - for groups, 329
 - for modules, 329
- type FP_∞
 - for groups, 329
 - for modules, 329
- $\mathcal{U}$ -controlled object, 723
- $\mathcal{U}$ -filtered, 198
 - left $\mathcal{U}$ -filtered, 198
 - right $\mathcal{U}$ -filtered, 197
- U -simple, 238
- $\mathcal{U}$ -thickening, 724
- U -torsion
 - of a contractible finite U -stably based chain complex, 237
 - of a stable isomorphism of stably U -based modules, 237
- uniform embedding in a Hilbert space, 490
- uniformly contractible metric spaces, 423
- unit
 - disk, 89
 - sphere, 89
- universal
 - additive invariant for finitely generated projective R -modules, 30
 - central extension, 130
 - determinant for automorphisms of finitely generated projective R -modules, 70
 - dimension function for finitely generated projective R -modules, 30
 - functorial additive invariant for finitely dominated CW -complexes, 47
 - G - CW -complex for proper G -actions, 318

- Verdier quotient, 179
 - split Verdier quotient, 179
- Verdier square
 - split Verdier square, 179
- virtual
 - cohomological dimension, 331
- virtually
 - (P) group, 97
 - finitely generated abelian group, 97
 - nilpotent group, 97
 - poly-cyclic group, 97
 - virtually free, 97
- w -orientation, 221
- w -oriented manifold, 221
- w -oriented Poincaré complex, 221
- weak
 - weak G -homotopy equivalence, 317
 - homotopy types, 176
 - weak equivalence of spectra, 348
 - weak homotopy equivalence, 317
 - Weak Z -set condition, 595
- weakly
 - weakly excisive, 564
 - weakly homotopy invariant functor, 564
- Weyl group, 313
- Whitehead group, 76
 - generalized, 76
 - higher, 239
 - second, 134
- Whitehead torsion
 - of a chain homotopy equivalence, 78
 - geometric, 84
 - of a homotopy equivalence of finite CW -complexes, 78
 - of an h -cobordism, 85
- width, 696
 - function, 695
 - of a bounded chain complex, 699
 - of chain homotopy of bounded chain complexes, 699
 - of chain map of bounded chain complexes, 699
- width function, 695
 - trivial on objects, 696
- wreath product, 112
- Yoneda embedding, 176
- $\mathbb{Z}$ -order, 60
- zero-object, 165